DIARRHEA DIET

DR. TANMAY R. AMLADI, DUBAI

IMPORTANT:

- 1. Signs of well-maintained hydration
 - a. Infant / child passes urine at least once every three hours each time in good quantity and which is not high-colored
 - b. The tongue is moist, not dry
 - c. There are tears seen if / when the baby cries
 - d. Infant / child is reasonably active
- 2. Signs of well-maintained nutrition
 - a. The infant/child is able to consume at least 75% of what he/she normally consumes in a day
 - b. The infant/child is able to maintain at least some degree of normal physical activity

HOMEMADE ELECTROLYTE SOLUTION (ORAL REHYDRATION SOLUTION or ORS)

Boil together:

- 1. One liter (1000 ml) water
- 2. Five teaspoons of sugar
- 3. Five pinches of salt

And cover it and keep for use within 24 hours. Once it is cooled keep giving frequent sips throughout the day. Consumption of 1 liter is equivalent to two bottles of IV fluids given in the hospital.

SOLID FOOD

Infants:

- Continue breastfeeds
- 2. If on formula feeds consider using a lactose-free formula
- 3. If infant is consuming weaning foods, **continue** weaning foods as usual but **avoid** high fiber food such as oats, green leafy vegetables like spinach, fibrous fruits like banana, papaya etc.

Children:

Indian

- 1. Rice kanji/gruel boil 3-4 large tablespoons of rice in 200-300 ml water with a pinch of salt (and optionally some roasted cumin seeds) blend to semiliquid consistency and feed.
- 2. Saboodana (Sago) porridge / arrow-root porridge: Soak saboodana / sago seeds in water overnight; drain away water next morning. To make one bowl of porridge, take 4 tablesppons soaked saboodana/sago seeds (or 2 tablespoons of arrow root powder) and add 1 tsp jaggery / sugar, 1-2 pinches of nutmeg powder, and 2 cups of water and cook over a low flame, stirring continuously to avoid lump formation. Once it is semi-transparent it is cooked; now cool and feed
- 3. Rice-lentils gruel khichdi
- 4. Poha (puffed rice)
- 5. Idli, dosa, medhu wada etc.
- 6. Upma

International

- 1. White bread / toast with a little butter
- 2. Semolina pancakes
- 3. Rice
- 4. Boiled and mashed potatoes with salt (optionally hash browns)
- 5. Sweet corn soup
- 6. Yogurt, buttermilk (laban)
- 7. Apple juice
- 8. Pomegranate juice
- 9. Small amounts of eggs, fish and chicken is permissible

AVOID

- 1. Red meat veal, beef, mutton etc.
- 2. Shellfish such as shrimps, clams. lobster, mussels etc.